## APPENDIX A

**Field Data Forms** 

Data entered by	on	Page	of
Proofed by	on		

## SWFL SURVEY AND DETECTION FORM

Study Area	Survey Site	Date	
Observer(s)		UTM NAD and Zone	
Start Time		Stop Time	
UTM E <u>0</u>	N	UTM E <u>0</u> N	
Intermediate Waypoin	ts		
UTM E <u>0</u>	N	UTM E <u>0</u> N	
UTM E <u>0</u>	N	UTM E <u>0</u> N	
UTM E <u>0</u>	N	UTM E <u>0</u> N	
UTM E <u>0</u>	N	UTM E <u>0</u> N	
UTM E <u>0</u>	N	UTM E <u>0</u> N	
UTM E <u>0</u>	N	UTM E <u>0</u> N	
UTM E <u>0</u>	N	UTM E <u>0</u> N	
UTM E <u>0</u>	N	UTM E <u>0</u> N	
<b>SWFL Detections</b>			
	N	Banded? Y N U Pair? Y N Nest Found	1? Y N
		Banded? Y N U Pair? Y N Nest Found	
	N	Banded? Y N U Pair? Y N Nest Found	1? Y N
UTM E 0	N	Banded? Y N U Pair? Y N Nest Found	 1? Y N
Survey Summary			
Total survey hours	# SWFLS found	Est. # Pairs Est. # Territories	
Playbacks used? Y or	N Cowbirds Detected?	Y or N If Y, approx #	
Sign of Livestock? Y o	or N If yes, explain		
Additional Comments			

Data entered by on	Page of
Proofed by on	
	_

## $SWFL\ SURVEY\ AND\ DETECTION\ FORM-Additional\ Waypoints$

Study Area	Survey Site		Date
Observer(s)		UTM NAD and Zo	ne
Intermediate Wayp	ooints		
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
UTM E <u>0</u>	N	UTM E <u>0</u>	N
Comments			

Data entered by	on	Page	of
Proofed by	on		

## **SWFL SURVEY AND DETECTION FORM – Additional Detections**

Study Area	Survey Site		Date								
Observer(s)		UTM NAD and Z	one								
<b>SWFL Detections</b>											
	N										
	N	Banded? Y N U	Pair? Y N	Nest Found? Y N							
Comments	N	Banded? Y N U	Pair? Y N	Nest Found? Y N							
UTM E <u>0</u>	N	Banded? Y N U		Nest Found? Y N							
	N										
	N										
Comments	N										
UTM E <u>0</u>	N	Banded? Y N U	Pair? Y N	Nest Found? Y N							
Comments	N		Pair? Y N								
	N										
Comments	N										
UTM E <u>0</u>	N	Banded? Y N U	Pair? Y N	Nest Found? Y N							
	N										

**SWFL General Site Description** (Complete at least 3 times during season: early (10–25 May), mid-season (10–25 June), and late season (10–25 July)

Observer(s): early mid late other	Study 2	Area:Surve	y Site:		Dat	te:	
Canopy closure: <25% 25-50% 50-70% 70-90% >90%  Overstory height (m): Dominant overstory species: TASP SAGO SAEX POFR Othe Understory height (m): Dominant understory species: TASP SAGO SAEX PLSE  Other vegetation types present (e.g., cattail)? Yes No  If yes, type of vegetation: percentage of site: type of surface water (e.g., open marsh, surface water within woody vegetation, stream, etc):  Average depth of surface water: tose (<5cm) ankles (5-15 cm) calves (15-40 cm) knees (40-60 cm) too deep to wade (>100 cm) waist (100 cm) too deep to wade (>100 cm)  % of site with saturated soils (do not include inundated areas in percentage!):   % of site with damp soils (do not include inundated or saturated areas):   If not inundated or saturated, distance (m) to standing water or saturated soil: How was distance determined? Visually estimated in field Measured in field using GPS Measured from aerial photograph Other Describe type of nearest surface water:   Does this description cover the entire site? Y N If not, which portion is described?   Give a narrative description of the site, including adjacent habitats:	Observ	ver(s):		early	mid	late _	other
Overstory height (m): Dominant overstory species: TASP SAGO SAEX POFR Othe Understory height (m): Dominant understory species: TASP SAGO SAEX PLSE Other vegetation types present (e.g., cattail)? Yes No  If yes, type of vegetation: percentage of site: type of vegetation: percentage of site: type of vegetation: percentage of site: percentage of site: type of vegetation: percentage of site: type of surface water (e.g., open marsh, surface water within woody vegetation, stream, etc):  Average depth of surface water: too deep to wade (>100 cm)	Vegeta	tion at site: >90% native	50-90% na	ntive	50-90% exo	tic	>90% exot
Understory height (m): Dominant understory species: TASP SAGO SAEX PLSE  Other vegetation types present (e.g., cattail)? Yes No  If yes, type of vegetation: percentage of site: type of vegetation: percentage of site: percentage of site: percentage of site: type of vegetation: percentage of site: percentage of si	Canop	y closure: <25%	25-50% 50	0-70%	70-90%	>90%	6
Other vegetation types present (e.g., cattail)? Yes No  If yes, type of vegetation: percentage of site: type of vegetation: percentage of site: percentage of site: percentage of site: percentage of site: type of vegetation: percentage of site: percentage of site	Overst	ory height (m):	Dominant overstor	y species: TAS	P SAGO	SAEX	POFR Oth
If yes, type of vegetation: percentage of site: type of vegetation: percentage of site:	Unders	story height (m):	_ Dominant understo	ry species: TAS	SP SAGO	SAEX	PLSE
type of vegetation:	Other	vegetation types present	(e.g., cattail)?	es No			
Describe type of surface water (e.g., open marsh, surface water within woody vegetation, stream, etc):  Average depth of surface water:  toes (<5cm) ankles (5-15 cm) calves (15-40 cm) knees (40-60 cm) thighs (60-80 cm) waist (100 cm) too deep to wade (>100 cm)  % of site with saturated soils (do not include inundated areas in percentage!):  Who of site with damp soils (do not include inundated or saturated areas):  How was distance determined? Visually estimated in field Measured in field using GPS Measured from aerial photograph Other  Describe type of nearest surface water:  Does this description cover the entire site? Y. N. If not, which portion is described?  Give a narrative description of the site, including adjacent habitats:	If yes,	type of vegetation:		perce	ntage of site	:	
Average depth of surface water:  toes (<5cm) ankles (5-15 cm) calves (15-40 cm) knees (40-60 cm) thighs (60-80 cm) waist (100 cm) too deep to wade (>100 cm)  % of site with saturated soils (do not include inundated areas in percentage!):  % of site with damp soils (do not include inundated or saturated areas):  How was distance (m) to standing water or saturated soil:  How was distance determined? Visually estimated in field Measured in field using GPS  Measured from aerial photograph Other  Describe type of nearest surface water:  Does this description cover the entire site? Y N If not, which portion is described?  Give a narrative description of the site, including adjacent habitats:	% of si	ite inundated:					
Average depth of surface water:  toes (<5cm) ankles (5-15 cm) calves (15-40 cm) knees (40-60 cm) thighs (60-80 cm) waist (100 cm) too deep to wade (>100 cm)  % of site with saturated soils (do not include inundated areas in percentage!):  % of site with damp soils (do not include inundated or saturated areas):  How was distance (m) to standing water or saturated soil:  How was distance determined? Visually estimated in field Measured in field using GPS  Measured from aerial photograph Other  Describe type of nearest surface water:  Does this description cover the entire site? Y N If not, which portion is described?  Give a narrative description of the site, including adjacent habitats:	Descri	be type of surface water	(e.g., open marsh, su	rface water witl	nin woody vo	egetation,	stream, etc):
Give a narrative description of the site, including adjacent habitats:	If not i	nundated or saturated, of How was distance dete Measured from Describe type of neares	distance (m) to standing rmined? Visually est a aerial photograph st surface water:	ng water or sat stimated in field Other	urated soil:_ Measu	red in field	l using GPS
Additional comments:	Give a	narrative description of	the site, including ad	jacent habitats	:		
Additional comments:							
Additional comments:							
Additional comments:							
Additional comments:							
	Additio	onal comments:					

DATE: TIME: TERR/NEST #:	NBN: of nestlings banded	
BANDER	Щ	
SITE	Zone	
TUDY AREA:	JTM: NAD Z	

FAT		
CULMEN	(mm)	
CULMEN	(mm)	
TAIL	(,,,,,,)	
WING	(mm)	
GENETIC SAMPLE?	(Y or N)	
FECAL SAMPLE?	(Y or N)	
AGE		
В		
S G		
SEX		
STATUS		
OR	ĸ	
COLOR	7	
FEDERAL PAND #	BAND #	

Retained Feathers Present: Yes or No (circle) – if Yes use diagram below Active Molt: Yes or No (circle) – if Yes use diagram below

Colorimeter sample: Yes or No (circle)

# \*\*\* If a genetic sample or metric was not taken, explain why in notes \*\*\*


**STATUS:** NCP = new cap passive, NCT = new cap target, RCP = recap passive, RCT = recap target, NBN = nestling banded **SEX:** U = unknown, F = female, M = male

**CP**: 0 = non-breeding, S = partial breeding, M = full breeding

**BP**: 0 = none, 1 = smooth, 2 = vascularized and filled with fluid, 3 = wrinkled, 4 = molting

**AGE**: AHY = after hatch year; SY = second year; L = nestling banded in nest; HY = hatch year/young of the year

FAT: 0 = no fat; 1 = trace of fat in furculum, deeply concave, scattered patches, less than 5 percent filled; 2 = thin layer of fat in furculum, less than a third filled, trace of thin layer of fat in abdomen; 3 = furculum is 1/2 filled or more; small patches, not covering some areas, on abdomen; 4 = furculum more than 2/3 filled, level with clavicles, slightly mounded on abdomen



## Colorimetry Data Sheet

		SLN		*q															
		BACK MEASUREMENTS		<b>*</b>															
	FED BAND NUMBER:	BACKM	PAGE:	*_															
DATE	FED BA				-	2	က	4	2	9	7	<b>∞</b>	MAX	Z	AVG	SD			
					,	,	•	•	•	•	•		,	,	,	,			
		SL		*q															
		CROWN MEASUREMENTS	E:	*"															
		CROWN ME	PAGE: _	*_															
:	BANDER:				-	2	က	4	2	9	7	<b>∞</b>	MAX	Z	AVG	SD			
SITE:	BAN																NOTES:		

Date:\_\_\_\_\_

jo

NBN OBSERVATIONS AND COMMENTS: discuss observations & (\_\_of\_\_) activities. Service Band Number = Service Band Number SEX **PRESENT** # MIELS CONF ASSOC ELEVL WITH A DR NEST? PT COLOR COMBO RIGHT LEG (Top/ Bottom) LEFT LEG (Top/ Bottom) OBS STUDY TERR NEST AREA

Date entered:\_

Entered by:

## Willow Flycatcher Territory/Nest Record Form

Study Area:					urvey Site:						Territory/	Nest n	o.:	(m) cound): Female Male
Territory/Ne					Nest Height	::		m (	(approximate)					
NAD: Territory UT		Zone:_			Nest Substr	ate:		(e.	g., TASP=tamari SAEX = coy			willow, I	POFR=0	cottonwood,
Easting:					Distance to standing water or saturated soil when nest found:(m)									
Northing:														
GPS Accurac						-		_	water or satura					
Nest UTMs:					Depth of su	rface water	r at nest	(please	e circle how w	et you	got when r	nest was	s foun	d):
Easting:					-	damp		-	oes (<5cm)	•	les (5-15 cr			
Northing:					-	-		m) knees (40-60 cm) thighs (60-80 cm)						
GPS Accura	ey: _		m			ist (100 cm			to wade (>10			,		
								1						
			]	PLE.	ASE DO N	OT FIL	L OU	T AN	YTHING I	BELC	<u>)W</u>			
Bird 1: Colo	r ba	nd com	bination	ı:				_ Bane	d Number:					Female
Bird 2: Colo	r ba	nd com	binatior	ı:				_ Ban	d Number:					Male
Willow F	lyca	ıtcher			Willow F	lycatche	ner Cowbird Cowbird							
Trans dates	B D	(T/F)		No.	Presumed	Confirme	d		Trans dates	B D (	Γ/F)	No.	Com	plete? (T/F)
		Found					Eggs				First egg			Eggs
		First e	gg				Nestli	ngs			Hatching			Nestlings
		Clutch	comple	tion			Fledgl	ings			Fledged			Fledgling
		Hatchi	ing			'					!			1 6
		Fledge	ed or Fai	led										
		]												
Outcome (	Rec	cord co	de & d	escri	be):	<u>-</u> :								
Outcome code	pe.							Mavf	ïeld Success					
UN= unknown	; <b>FY</b> :				st one young see				L) Period	# Ext	osure days		Su	ccess
if dependent fl	edglii	ng(s) nearl	oy; <b>FU</b> = sı	ispected	d fledging of at l	least one	15	·	Laying	2	auj s			
Nest partially	depre	dated with	confirmed	l fledgi	h cowbird paras ng of at least on	e young; PO=	=	Incub						
probable preda	ition,	damage to	nest struc	ture; A	est empty and in B= nest abandor	ned prior to		Nestli						
					young; <b>PA=</b> par ng were fledged			Ticsti	····6					

**WE**= failure due to weather; **AD**= failure, entire clutch addled/infertile; **OT**=

failure due to other, or unknown, causes.

unknown/nest occupied- fate unknown; M= mortality other than predation;

**A**= abandoned with host egg(s) or young; **Z**= abandoned, no (zero) eggs laid.

## Willow Flycatcher Territory/Nest Record Form (continued)

Territory/Nest no.:	Comments																
	Age Yng										,						
	#WF								•								
<u>;</u>	# CN		ĺ						•								
Survey Site:	ww #								•								
Surv	# CE		-														
	# WE		F								;						
	Adult pres.		-														
Study Area:_	Stage		-														
Study	Mon Type																
	Obs																
	Time																
	Ti																
	Date																

## **Brown-headed Cowbird Traps**

Observer(s):				Star	Start Time:	::			End	End Time:			1	Date:	te:			
Study Area:																		
	r					Trap#	# 0											
COWBIRDS	M	Н	J	M	Н	J	M	Щ	J	M	Н	J	M	H	J	M	Ц	J
Decoys previously in trap <sup>1</sup>																		
Newly trapped																		
$Added^2$																		
Died in trap																		
Missing																		
Escaped during trap check																		
Transferred <sup>3</sup>																		
Euthanized																		
Total left in trap <sup>4</sup>																		
NON-TARGET SPECIES <sup>5</sup>																		
Ţ																		
Comments																		

## LCR Southwestern Willow Flycatcher Project - Vegetation Datasheet

Study area	a:				Survey s	ite:			Plot ty	pe:			ID#:				
Date:		Obs:					UTM:			I	<b>=</b>			N	GPS Ac	curacy:	m
Nest site or	nly		Substr.:			All plot			t water:	:	m	Woody	Ground	l Co	ver	Total C	anopy
Substr. DBH			Substr. H		m	Dist car		Dis				N:		E:		N:	
Nest Ht.: % -		or m		lt.:	m or	Top Ca	ın.:				n	S:		W:		S:	
Specie	es	٦	ΓASP		GO	SAEX			FR	SNAG		OTSP1	*:	отѕ	SP2**:	OTSP3	***:
	<1																
Shrub/ Sapling Count	1–2.5				PR-12-12					***************************************							
in 5 m Plot <or= 8="" cm<br="">dbh</or=>	2.6- 5.5															****	
u	5.6-8				*******				***************************************	***************************************						****	
Specie	es	7	ΓASP	SA	.GO	SAEX	(	РО	FR	SNAG		от	SP1	C	OTSP2	от	SP3
	8.1– 10.5																
<b>T</b>	10.5– 15	***************************************														****	
Tree Count in 5m Plot > 8 cm dbh	Measured Trees >15 cm dbh										<u> </u>						
Specie		7	ΓASP	SA	.GO	SAEX	(	РО	FR	SNAG		от	SP1	C	DTSP2	от	SP3
Tree Count to 11.3m >8 cm c	Plot																
NOTES:																	

If, at ankle height or above, shrub/sapling/tree splits into multiple branches, count it as one stem and measure the biggest stem. If splits below ankle height, count all stems.

If shrub/sapling/tree is not at least breast height, do not count.

*	Other species 1 (write out full name)	(Use the same type for every section.
**	Other species 2 (write out full name)	(Use the same type for every section.
	Other species 3 (write out full name)	(Use the same type for every section.

## Vertical Foliage Sampling (i.e., "Hits on the pole")

			CE	NTER PL	.OT			
Uoight.				Hits/S	pecies			
Height (m)	TASP	SAGO	SAEX	POFR	SNAG	OTSP1*:	OTSP2*:	OTSP3*:
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								

Record number of decimeters with hits on pole (within 10-cm radius) per 1-m interval up to 8 m; above 8 m, estimate 0, < 5, or > 5 or hits per meter interval.

\*Use same OTSP (1,2,3) as listed on main record.

Vertical Foliage Sampling (i.e., "Hits on the pole")

			ŀ								-						
Study Area:	ea:		ร	Survey Site:					Plot type:		#			Date:	:i		
				NORTH									EAST				
+48:0 <u>0</u>				Hits/	Hits/Species				145:00				Hits/S	Hits/Species			
meigu (m)	TASP	SAGO	SAEX	POFR	SNAG	OTSP1*:	OTSP2*:	OTSP3*:	meignt (m)	TASP	SAGO	SAEX	POFR	SNAG	OTSP1*:	OTSP2*:	OTSP3*:
_									-								
2									2								
3									3								
4									4								
2									2								
9									9								
7									7								
8									8								
6									6								
10									10								
11									11								
12									12								
13									13								
14									14								
15									15								
16									16								
17									17								
18									18								
19									19								
20									20								
21									21								
22									22								
23									23								
24									24								
25									25								
Doocsed my	mhor of	1 - oi motore	44:44	Dance Land 11 midtim of the manufacture with this or as I am we direct	10	ans as dive	1	+ are Lorento tail on	or o orodo .m. o or un		Octimoto	\		100000	100000000000000000000000000000000000000		ļ

Record number of decimeters with hits on pole (within 10 cm radius) per 1-m interval up to 8 m; above 8 m, estimate 0, < 5, or > 5 or hits per meter interval. \*Use same OTSP (1.2.3) as listed on main record.

Vertical Foliage Sampling (i.e., "Hits on the pole")

		*																									
		OTSP3*:																									
		OTSP2*:																									
		OTSP1*:																									
	Hits/Species	SNAG																									
WEST	Hits/9	POFR																									
		SAEX																									
		SAGO																									
		TASP																									
	+45.01	(m)	1	2	3	4	2	9	2	8	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
		OTSP3*:																									
		OTSP2*:																									
		OTSP1*:																									
	Hits/Species	SNAG																									
SOUTH	Hits/S	POFR																									
		SAEX																									
		SAGO																									
		TASP																									
	+4zion	(E)	1	2	3	4	2	9	2	8	6	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

Record number of decimeters with hits on pole (within 10 cm radius) per 1-m interval up to 8 m; above 8 m, estimate 0, < 5, or > 5 or hits per meter interval. \*Use same OTSP (1,2,3) as listed on main record.

## **SWFL Microclimate at Life History Study Areas**

Study Area Survey Site	(C(-1) (I() (NI1)
UTM coordinates: Easting (x) 0 Northing (y) _	
<b>Dominant habitat within 10 m:</b> Cottonwood/Willow Tamarisk M	ixed Native/Exotic Other (specify: )
Estimated canopy cover at the logger: Less than 25% 25%	-75% More than 75%
Temperature/Relative Hun	nidity (T/RH)
Set-up: Date (MM/DD/YY): Time (military):	Crew member(s)
Logger 6-digit serial number (e.g., #630863):	Was red LED checked at set-up? Y or N
If nest site, when was nest vacated (known or estimated; MM/DD/YY	)?
Logger location: Tree Shrub Est. overall height of tree or shrub?	m Est. height of logger m
Take-down: Date (MM/DD/YY): Time (military	): Crew member(s):
Logger 6-digit serial number (e.g., #630863):	
Did any events occur that might have interfered with accuracy of data No Yes If yes, explain:	gathered by this logger (e.g., blown out of tree, etc.)?
Soil Moisture (S	M)
Set-up: Date (MM/DD/YY): Time (military):	
6-digit sensor serial number: logger	number:
Distance to saturated/inundated soil: m How distance v	vas measured:
SM readings: Plot center%mV	
N: 1.0 m%mV   2.0 m%mV   S: 1.0	m%mV 2.0 m%mV
E: 1.0 m%mV   2.0 m%mV   W: 1.0 Comments:	0 m%mV 2.0 m%mV
Take-down: Date (MM/DD/YY): Time (military	): Crew member(s):
6-digit sensor serial number: logger number:	
Distance to saturated/inundated soil: m How distance w	vas measured:
SM readings: Plot center%mV	-
<b>N:</b> 1.0 m%mV   2.0 m%mV   <b>S:</b> 1.0	m%mV 2.0 m%mV
E: 1.0 m%mV   2.0 m%mV   W: 1.0 Comments:	0 m%mV 2.0 m%mV

**Location identifier format:** Study area code (MD, MQ, MM, PA, TM) – Location code (NS, WT, NU, SVR, SVD) – Nest number (for NS, WT, NU locations) or Seasonal Variation number; e.g., TM-NU-9A or MM-SVD-2

## **SWFL Microclimate**

## **Soil Moisture Supplement**

Study Ar	ea	Sur	vey Site			LOCA	ATION ID		_	_	
·									y area) – (L		
Date (MM/D	D/YY):_			Tim	ne (milita	nry):	(	Crew me	mber(s):		
6-digit sensor	serial nu	ımber:		lo	gger nun	nber:		_			
Distance to s	aturated	/inundat	ed soil:	m	How dis	stance was mo	easured: _				
SM readings											
<b>N:</b> 1.0 m			1		mV	<b>S:</b> 1.0 m	%	mV	2.0 m	%	mV
<b>E:</b> 1.0 m											
Comments:											
Date (MM/D	D/YY):_			Tim	ne (milita	nry):	(	Crew me	ember(s):		
6-digit sensor	r serial nu	ımber:		lo	gger nun	nber:		_			
Distance to s	aturated	/inundat	ed soil:	m	How dis	stance was mo	easured: _				
SM readings	: Plot ce	nter	%	mV							
<b>N:</b> 1.0 m	%	mV	2.0 m	%	mV	<b>S:</b> 1.0 m	%	mV	2.0 m	%	mV
<b>E:</b> 1.0 m	%	mV	2.0 m	%	mV	<b>W:</b> 1.0 m _	%	mV	2.0 m	%	mV
Comments:											
Date (MM/D	D/YY):_			Tin	ne (milita	ary):	(	Crew me	mber(s):		
6-digit sensor	serial nu	ımber:		lo	gger nun	nber:		_			
Distance to s	aturated	/inundat	ed soil:	m	How dis	stance was mo	easured: _				
SM readings	: Plot ce	nter	%	mV		1					
<b>N:</b> 1.0 m	%	mV	2.0 m	%	mV	<b>S:</b> 1.0 m	%	mV	2.0 m	%	mV
<b>E:</b> 1.0 m	%	mV	2.0 m	%	mV	<b>W:</b> 1.0 m _	%	mV	2.0 m	%	mV
Comments:											
Date (MM/D	D/YY):_			Tin	ne (milita	nry):	(	Crew me	ember(s):		
6-digit sensor	r serial nu	ımber:		lo	gger nun	nber:		_			
Distance to s	aturated	/inundat	ed soil:	m	How dis	stance was mo	easured: _				
SM readings	: Plot ce	nter	%	mV							
<b>N:</b> 1.0 m	%	mV	2.0 m	%	mV	<b>S:</b> 1.0 m	%	mV	2.0 m	%	mV
<b>E:</b> 1.0 m	%	mV	2.0 m	%	mV	<b>W:</b> 1.0 m _	%	mV	2.0 m	%	mV
<b>Comments:</b>											
Date (MM/D	D/YY):_			Tin	ne (milita	ary):	(	Crew me	mber(s):		
6-digit sensor	r serial nu	ımber:		lo	gger nun	nber:		_			
Distance to s	aturated	/inundat	ed soil:	m	How dis	stance was mo	easured: _				
SM readings			1			1			1		
<b>N:</b> 1.0 m	%	mV	2.0 m	%	mV	<b>S:</b> 1.0 m	%	mV	2.0 m	%	mV
E: 1.0 m Comments:	%	mV	2.0 m	%	mV	<b>W:</b> 1.0 m	%	mV	2.0 m	%	mV

## Microclimate at Sites South of Topock – T/RH Downloads

Study Area	Survey Site		LOCATION ID	
•	·			– (Survey site) – (Number)
Download: Date (MM/DD/YY	<i>(</i> ):	Time (military):_	Crew membe	r(s):
Logger 6-digit serial number (e	e.g., #630863):		Did you check red LED?	Y or N
Did any events occur that might No Yes If yes, explain:	nt have interfered with	h accuracy of data ga	thered by this logger (e.g.,	blown out of tree, etc.)?
Comments:				
<b>Download</b> : Date (MM/DD/YY	<i>Y</i> ):	Time (military):_	Crew member	r(s):
Logger 6-digit serial number (e	e.g., #630863):		Did you check red LED?	Y or N
Did any events occur that might No Yes If yes, explain:	nt have interfered with	h accuracy of data ga	thered by this logger (e.g.,	blown out of tree, etc.)?
Comments:				
Download: Date (MM/DD/YY	ζ):	Time (military):_	Crew member	r(s):
Logger 6-digit serial number (e	e.g., #630863):		Did you check red LED?	Y or N
Did any events occur that might No Yes If yes, explain:	nt have interfered with	h accuracy of data ga	thered by this logger (e.g.,	blown out of tree, etc.)?
Comments:				
Download: Date (MM/DD/YY	Y):	Time (military):_	Crew membe	r(s):
Logger 6-digit serial number (e	e.g., #630863):		Did you check red LED?	Y or N
Did any events occur that might No Yes If yes, explain:	nt have interfered with	h accuracy of data ga	thered by this logger (e.g.,	blown out of tree, etc.)?
Comments:				
<b>Download</b> : Date (MM/DD/YY	<i>(</i> ):	Time (military):_	Crew member	r(s):
Logger 6-digit serial number (e	e.g., #630863):		Did you check red LED?	Y or N
Did any events occur that might No Yes If yes, explain:	nt have interfered with	h accuracy of data ga	thered by this logger (e.g.,	blown out of tree, etc.)?
Comments:				

Location ID codes: Study area codes – Topock Gorge = TG, Ehrenberg = EH, Cibola = CI, Imperial = IM, Mittry = MI, Yuma = YU.

Survey site codes – Blankenship = BK, Havasu NE = HV, Three Fingers Lake = TF, Cibola Lake = CL, Walker Lake = WL, Paradise = PV, Hoge Ranch = HR, Rattlesnake = RS, Clear Lake = LK, Ferguson Lake = FL, Ferguson Wash = FW, Great Blue Heron = GB, Martinez Lake = ML, Mittry West = MW, Gila Confluence North = GC